Protect your child against tetanus, diphtheria and pertussis

School age children



Why your child should get the tetanus, diphtheria and pertussis (Tdap) vaccine...

- The Tdap vaccine protects against three diseases: tetanus (lockjaw), diphtheria and pertussis (whooping cough).
- Early childhood vaccines against pertussis (whooping cough) tend to wear off during adolescence.
- To help reduce the incidence of pertussis (whooping cough) in the population and protect babies that are not fully immunized.

Who should get this vaccine?

School age children.

Who should NOT get this vaccine?

- Individuals allergic to any part of the vaccine or its container.
- School age children who have already received a Tdap vaccine in the last 5 years do not need to receive it.

DID YOU KNOW?

The highest risk of death from pertussis (whooping cough) occurs in babies younger than six months.

What you should know about tetanus, diphtheria and pertussis disease . . .

Tetanus is caused by bacteria found in dirt, rust, manure and human feces. An individual becomes infected when bacteria enter an open cut.

Diphtheria is caused by bacteria that infect the nose and throat. These bacteria release a poison that causes the disease symptoms. Diphtheria is spread by coughing and sneezing.

Pertussis is caused by bacteria and begins similarly to a cold. Pertussis is spread by coughing and sneezing.

Possible Symptoms		
Tetanus - muscle spasms - convulsions - sometimes death	Diphtheria – breathing problems – heart failure – paralysis	Pertussis - severe coughing - choking - whooping cough - vomiting spells (lasting weeks or months) - sometimes death



Mackenzie Couture (Saint Mary's Academy)

What you should know about the Tdap vaccine...

The vaccine...

- is **SAFE** and very effective in preventing disease;
- contains three separate vaccinations combined into one needle; and

What to expect following tetanus, diphtheria and pertussis immunization...

Common side effects are pain, redness, and swelling at the injection site, mild headache, fever and body aches.

Please note: As is the case with any vaccine, there is a small risk that a more serious allergic reaction can occur. Therefore, students are asked to remain on site for at least 15 minutes after the vaccine is given so that possible immediate reactions can be monitored and treated.

How to treat fever and pain...

- A cold compress on the injection site may reduce discomfort.
- Your child may be given acetaminophen (e.g., Tylenol®) or ibuprofen (e.g., Advil®).
- Acetylsalicylic acid (ASA or Aspirin®) should NOT be given to children younger than 18 due to its link to Reye's syndrome.

What else you should know...

- If your child has a fever or illness other than a minor cold, the nurse may delay giving this vaccine.
- If your child's immune system is affected by illness, steroid medication or cancer treatments, the decision to immunize must be made in consultation with your family physician.
- It is important to record any allergies on the consent form.
- If your child has had an allergic reaction to a vaccine in the past, or if you have any questions, please contact your local Public Health office.
- Adverse reactions especially severe or unusual reactions in the four weeks following immunization should be reported to the local Public Health office. Please see your doctor if your child has a severe reaction.
- Further information is available at www.gnb.ca/health

How to register for this program...

- **Complete** and **sign** the tear-off section of the brochure.
- **Return** the completed tear-off section to the school *even if* you choose not to have your child immunized.
- **Keep** the rest of the brochure for your information.
- Once your child is immunized, the nurse will complete the immunization information on your child's *Personal Immunization Record* and return it to him or her.

Consent form for tetanus, diphtheria and pertussis immunization

PLEASE COMPLETE AND RETURN THIS PORTION TO THE SCHOOL

ool	
de Home room/teacher	
dent's name	Birth date
dent's Medicare number	Male Female
ergies	
No Yes Please specify	
ent/guardian	Daytime telephone number
ave read or had explained to me the information on the vaccing nefits, risks, side-effects and reasons why my child may or may n e opportunity to ask questions to a health-care provider that w	ot receive the vaccine. I have had
, I <u>agree</u> to allow my child to receive the tetanus, diphtherio	and pertussis vaccination.
nature of parent/guardian	Date
. I <u>do not agree</u> to allow my child to receive the tetanus, dipht	heria and pertussis vaccination.*
nature of parent/guardian	Date
Reason for refusal	
ersonal immunization record for etanus, diphtheria and pertussis	
	YYYYMMDD
dent's name	Birth date
dent's Medicare number	
This section is to be completed by the Public Health nu	rse
me of vaccine	

This immunization record will be given to your child after his/her immunization.

Please keep this record with your child's personal health files.

PH. Zone

Date immunized

Nurse's signature